



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

To
The Secretary
Shri Shikshayatan School (Under Foundation),
11, Lord Sinha Road,
Kolkata - 700071,

09.03.2026

Kind Attn.: Mr. K.S. Nath. Mob. No.: 9874138084

Dear Sir,

Please find enclosed herewith 05 nos. of test reports in one copy corresponding to 01 no. sample of Borewell Water (Drinking Purpose), 04 nos. samples of Drinking Water, drawn on 02.03.2026. These certificates are as follows:

Certificate No.	Source	Nature of test	Remarks
NDI/WTR/25-26/07699 to 07703	Water at different locations	Bact. & Chem. – 15 Parameters	Satisfactory

Also please find our bill no. NDI/25-26/3932 dated 09.03.2026 in two copies covering above sample testing charges.

We shall now request you to release the payment at an early date.


Regards


Srirupa De
(Chief Operating Officer)
N. D. International Lab LLP
9830654565, 9830789456

Encl: Invoice & Certificate



For Shri Shikshayatan School


Vinod Agrawal
Secretary General

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



ULR No.:TC1561726000003220F

Certificate No : NDI/WTR/25-26/07699

UID No : NDI/WTR/25-26/07699

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 1 of 2

Sample Drawn By : N.D. International LAB LLP

Name of Customer : Shri Shikshayatan School (Under Foundation)
Address : 11, Lord Sinha Road, Kolkata-700071.

Description of Sample : Drinking Water
Collection Source : Primary Building Groud Floor Drinking Water Tap

Sampling Done by : R.Ghosh
Environmental Condition : Temperature :32°C, Humidity : 59%
Sample Drawn on : 02/03/2026
Analysis Started on : 02/03/2026
Analysis Completed on : 07/03/2026

Sample Quantity : 2.2 ltr
Sample Received on : 02/03/2026

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1.0 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.2	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	1.6	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	640.0	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	90.16	Max 75.0	Max 200
8	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	114.0	Max 250	Max 1000

For Shri Shikshayatan School

Vinod Agrawal
Secretary General

[Signature]



- The test report shall not be reproduced,except in full,without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company
TEST REPORT



TC - 15617

ULR No.: TC1561726000003220F

Certificate No : NDI/WTR/25-26/07699

UID No : NDI/WTR/25-26/07699

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 2 of 2

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
9	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	<0.10 (DL:0.10)	Max 0.3	No relaxation
10	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	28.58	Max 30.0	Max 100
11	Sulphate (as SO ₄).	APHA (24th Edition), 4500-SO ₄ E	mg/l	22.19	Max 200	Max 400
12	Total Alkalinity as CaCO ₃ .	APHA (24th Edition), 2320 B	mg/l	444.9	Max 200	Max 600
13	Total Hardness (as CaCO ₃).	APHA (24th Edition) 2340 C	mg/l	343.0	Max 200	Max 600
Microbiological Test Parameters						
14	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
15	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Turbidity, Total Dissolved Solids, Calcium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

For Shri Shikshayatan School

Vinod Agrawal
Secretary General

[Signature]



FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

Sutapa Patra
Quality Manager
Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company
TEST REPORT



TC - 15617

ULR No.:TC1561726000003221F

Certificate No : NDI/WTR/25-26/07700

UID No : NDI/WTR/25-26/07700

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 1 of 2

Sample Drawn By : N.D. International LAB LLP

Name of Customer : Shri Shikshayatan School (Under Foundation)
Address : 11, Lord Sinha Road, Kolkata-700071.

Description of Sample : Drinking Water
Collection Source : Secondary Building 1st Floor Drinking Water Tap

Sampling Done by : R.Ghosh
Environmental Condition : Temperature :32°C, Humidity : 59%
Sample Drawn on : 02/03/2026
Analysis Started on : 02/03/2026
Analysis Completed on : 07/03/2026
Sample Quantity : 2.2 ltr
Sample Received on : 02/03/2026

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021 (Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1.0 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.3	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	1.3	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	610.0	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	90.08	Max 75.0	Max 200
8	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	76.0	Max 250	Max 1000

For Shri Shikshayatan School

Vinod Agrawal
Secretary General

[Signature]



1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561726000003221F

Certificate No : NDI/WTR/25-26/07700

UID No : NDI/WTR/25-26/07700

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 2 of 2

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
9	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	0.11	Max 0.3	No relaxation
10	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	28.58	Max 30.0	Max 100
11	Sulphate (as SO ₄).	APHA (24th Edition), 4500-SO ₄ E	mg/l	20.32	Max 200	Max 400
12	Total Alkalinity as CaCO ₃ .	APHA (24th Edition), 2320 B	mg/l	412.3	Max 200	Max 600
13	Total Hardness (as CaCO ₃).	APHA (24th Edition) 2340 C	mg/l	352.8	Max 200	Max 600
Microbiological Test Parameters						
14	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
15	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Turbidity, Total Dissolved Solids, Calcium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

For Shri Shikshayatan School

Vinod Agrawal
Secretary General



FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

Sutapa Patra
Quality Manager
Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company
TEST REPORT



TC - 15617

ULR No.: TC1561726000003222F

Certificate No : NDI/WTR/25-26/07701

UID No : NDI/WTR/25-26/07701

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 1 of 2

Sample Drawn By : N.D. International LAB LLP

Name of Customer : Shri Shikshayatan School (Under Foundation)
Address : 11, Lord Sinha Road, Kolkata-700071.

Description of Sample : Drinking Water
Collection Source : Hostel Building Groud Floor Drinking Water Tap

Sampling Done by : R.Ghosh
Environmental Condition : Temperature :32°C, Humidity : 59%
Sample Drawn on : 02/03/2026
Analysis Started on : 02/03/2026
Analysis Completed on : 07/03/2026

Sample Quantity : 2.2 ltr
Sample Received on : 02/03/2026

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1.0	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.3	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	2.3	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	790.0	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	90.16	Max 75.0	Max 200
8	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	166.3	Max 250	Max 1000

For Shri Shikshayatan School

Anod Agrawal
Secretary General



- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.

N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.: TC1561726000003222F

Certificate No : NDI/WTR/25-26/07701

UID No : NDI/WTR/25-26/07701

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 2 of 2

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
9	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	0.15	Max 0.3	No relaxation
10	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	28.58	Max 30.0	Max 100
11	Sulphate (as SO ₄).	APHA (24th Edition), 4500-SO ₄ E	mg/l	29.35	Max 200	Max 400
12	Total Alkalinity as CaCO ₃ .	APHA (24th Edition), 2320 B	mg/l	423.2	Max 200	Max 600
13	Total Hardness (as CaCO ₃).	APHA (24th Edition) 2340 C	mg/l	343.0	Max 200	Max 600
Microbiological Test Parameters						
14	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
15	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : DL: Detection Limit. Max: Maximum.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Turbidity, Total Dissolved Solids, Calcium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

For Shri Shikshayatan School

Vinod Agrawal
Secretary General



FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

Sutapa Patra
Quality Manager
Authorized Signatory

- The test report shall not be reproduced, except in full, without written approval of the company.
- Results relate only to the parameters tested.
- The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561726000003223F

Format No.: NDI/FM/50

Certificate No : NDI/WTR/25-26/07702

Dated : 07/03/2026

UID No : NDI/WTR/25-26/07702

Page No.: 1 of 2

Sample Drawn By : N.D. International LAB LLP

Name of Customer : Shri Shikshayatan School (Under Foundation)
Address : 11, Lord Sinha Road, Kolkata-700071.

Description of Sample : Borewell Water (For Drinking Purpose)
Collection Source : Garbage Area Borewell Water

Sampling Done by : R.Ghosh
Environmental Condition : Temperature :32°C, Humidity : 59%
Sample Drawn on : 02/03/2026
Analysis Started on : 02/03/2026
Analysis Completed on : 07/03/2026

Sample Quantity : 2.2 ltr
Sample Received on : 02/03/2026

Method of Sampling : IS-1622:1981, IS-17614:(P-25):2022 (Bact), IS-17614:(P-5):2021(Chem)
Mode of Sampling : Grab
Sampling Plan : NDI/FM/52A

TEST RESULT

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
Organoleptic & Physical Parameters						
1	Colour	IS 3025 (Part 4)	Hazen	<1.0 (DL:1.0) <1.0 (DL:1.0)	Max 5.0	Max 15
2	Odour	IS 3025 (Part 5)	-	Agreeable	Agreeable	Agreeable
3	pH at 25°C	APHA (24th Edition) 4500 H+ B	-	7.5	6.5-8.5	No relaxation
4	Taste	IS 3025 (Part 8)	-	Agreeable	Agreeable	Agreeable
5	Turbidity.	APHA (24th Edition) 2130B	NTU	1.9	Max 1.0	Max 5.0
6	Total Dissolved Solids.	APHA (24th Edition) 2540C	mg/l	740	Max 500	Max 2000
General Parameters Concerning Substances Undesirable						
7	Calcium (as Ca)	APHA (24th Edition), 3500-Ca B	mg/l	82.32	Max 75.0	Max 200
8	Chloride (as Cl).	APHA (24th Edition)4500 Cl B	mg/l	152.0	Max 250	Max 1000

For Shri Shikshayatan School

Vinod Agrawal
Secretary General



1. The test report shall not be reproduced,except in full,without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED
An ISO 9001:2015 Certified Company

TEST REPORT



TC - 15617

ULR No.:TC1561726000003223F

Certificate No : NDI/WTR/25-26/07702

UID No : NDI/WTR/25-26/07702

Sample Drawn By : N.D. International LAB LLP

Format No.: NDI/FM/50

Dated : 07/03/2026

Page No.: 2 of 2

Sl.No.	Parameters	Test Method	Unit	Results	Norms as per IS 10500:2012	
					Acceptable Limit	Permissible Limit
9	Iron (as Fe)	APHA (24th Edition), 3500-Fe B	mg/l	0.12	Max 0.3	No relaxation
10	Magnesium (Mg)	APHA (24th Edition) 3500-Mg	mg/l	26.19	Max 30.0	Max 100
11	Sulphate (as SO ₄)	APHA (24th Edition), 4500-SO ₄ E	mg/l	28.49	Max 200	Max 400
12	Total Alkalinity as CaCO ₃	APHA (24th Edition), 2320 B	mg/l	347.2	Max 200	Max 600
13	Total Hardness (as CaCO ₃)	APHA (24th Edition) 2340 C	mg/l	313.6	Max 200	Max 600
Microbiological Test Parameters						
14	Total Coliform in cfu(Membrane Filtration)	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable
15	Detection of E. coli MF	IS 1622	cfu/100ml	Absent	Not Detectable	Not Detectable

Note : Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

Remarks : Bacteriologically: Satisfactory for the above tested parameters. Chemically: Satisfactory for the above tested parameters. Turbidity, Total Dissolved Solids, Calcium, Total Alkalinity, Total Hardness are beyond the Acceptable Limit (Max), but within Permissible Limit (Max).

Statement of Conformity is applied considering Decision Rule as per ISO Guide 98-4.

End of Report

For Shri Shikshayatan School

Vinod Agrawal
Secretary General



FOR N.D. INTERNATIONAL LAB LLP

Sweta Mukherjee
(Microbiologist)
Authorized Signatory



FOR N.D. INTERNATIONAL LAB LLP

Sutapa Patra
Quality Manager
Authorized Signatory

1. The test report shall not be reproduced, except in full, without written approval of the company.
2. Results relate only to the parameters tested.
3. The remaining sample after test will be retained for 15 days from the date of issue of certificate.



R. V. BRIGGS & CO. PRIVATE LTD.

ANALYTICAL CONSULTING & TECHNICAL CHEMISTS

(AN ISO 9001:2015 & ISO 45001 : 2018 CERTIFIED COMPANY)

TAHER MANSION, 1ST FLOOR

9, BENTINCK STREET, KOLKATA - 700 001

Phone : (033) 4044-3380/3381/3382 / 3383, Website : www.rvbriggs.com

E-mail : rvbriggs.kolkata@gmail.com, info@rvbriggs.com

CIN : U51109WB1931PTC007007



TC-12347

TEST REPORT

Certificate No. AP-AAQ/25-26/0765

Issue Date : January 28, 2026

Page 1 of 1

Issued to	: M/S. SHRI SHIKSHAYATAN SCHOOL		
Address	: 11, Lord Sinha Road, Kolkata-700071		
Your WO Ref. No.	: E-mail, dtd. 21.01.2026		
Sample Description	: Ambient Air	Equipment used:	
Sample ID No.	: AP-AAQ/25-26/0765	Ambient Fine Dust Sampler	
Name of Industry / Site	: M/S. SHRI SHIKSHAYATAN SCHOOL	ID No.: RVB/AFDS/PM2.5/22, Cal. Valid upto: 20.01.27	
	: 11, Lord Sinha Road, Kolkata-700071	Respirable Dust Sampler	
Sampling Location	: Near Main Gate	ID No.: RVB/RDS/EI-142-NL/14, Cal. Valid upto: 20.01.27	
	(N 22°32'36.15697" E 88°20'57.06")		
Date & Time of sampling	: 24.01.2026 (11:00 A.M.)- 25.01.2026 (11:00 A.M.)	Environmental conditions	
Duration of Sampling	: 24Hrs.	Weather Condition: Clear	
Sampling Plan :	: RVB/FM/45	Temperature : Max: 27.0°C & Min: 21.0°C	
Sampling Carried out by	: Mr. Ashis Manna	Barometric Pressure : 764 mmHg	
Method of Sampling	: As per CPCB guidelines (Volume-I)		
Analysis Started on	: 27.01.2026	Parameters Tested:	
Analysis Completed on	: 28.01.2026	PM _{2.5} , PM ₁₀ , SO ₂ , NO ₂ & CO	

TEST FINDINGS:-

Sl. No.	Parameters	Test Method	Unit	Results (Time Weighted Avg.)	Norms as NAAQ,2009
1.	PM _{2.5} (Size ≤ 2.5µm)	IS 5182 (Part - 24) : 2019	µg/m ³	49.2	60 (24 Hourly.)
2.	PM ₁₀ (Size ≤ 10µm)	IS 5182 (Part - 23) : 2006	µg/m ³	74.9	100 (24 Hourly.)
3.	Sulphur Dioxide as SO ₂	IS 5182 (Part - 2) : Sec 1 : 2023	µg/m ³	6.06	80 (24 Hourly.)
4.	Nitrogen Dioxide as NO ₂	IS 5182 (Part - 6) : 2006	µg/m ³	29.70	80 (24 Hourly.)
5.	Carbon Monoxide as CO	IS : 5182 (Part - 10), 1999 Non Dispersive Infra-Red (NDIR) spectroscopy	mg/m ³	0.785	04 (1 Hourly.)

Report Verified by

[Signature]

For Shri Shikshayatan School

Vinod Agrawal
Secretary General

Reviewed & Authorised by

(Dr. R. KARIM)

Technical Manager

Authorised Signatory

For R.V. BRIGGS & CO. (P) LTD.

:- END OF TEST REPORT :-



- ★ The test report shall not be reproduced, except in full, without written approval of the Company.
- ★ Results relate only to the parameters of the item tested.



R. V. BRIGGS & CO. PRIVATE LTD.

ANALYTICAL CONSULTING & TECHNICAL CHEMISTS

(AN ISO 9001:2015 & ISO 45001 : 2018 CERTIFIED COMPANY)

TAHER MANSION, 1ST FLOOR

9, BENTINCK STREET, KOLKATA - 700 001

Phone : (033) 4044-3380/3381/3382 / 3383, Website : www.rvbriggs.com

E-mail : rvbriggs.kolkata@gmail.com, info@rvbriggs.com

CIN : U51109WB1931PTC007007



TC-12347

TEST REPORT

Certificate No. AP-SL/25-26/1607

Issue Date : January 28, 2026

Page 1 of 1

Issued to	: M/S. SHRI SHIKSHAYATAN SCHOOL	Equipment used: Sound Level Meter ID No.: RVB/SLM/10 (Cal. Validity: 31.10.2026)
Address	: 11, Lord Sinha Road, Kolkata-700071	
Your Ref. no.	: E-mail, dtd. 21.01.2026	Parameters Tested : L_{Min} , L_{Max} & L_{eq} Test Method : IS 4758 : 1968
Description of Sample	: Sound Level Monitoring	
Sample ID No.	: AP-SL/25-26/1607	
Name of Industry / Site	: M/S. SHRI SHIKSHAYATAN SCHOOL : 11, Lord Sinha Road, Kolkata-700071	
Sampling Plan :	: RVB/FM/45	
Sampling Carried out by	: Mr. Ashis Manna	
Date of Monitoring	: 24.01.2026	

SOUND LEVEL MONITORING :

Sl. No.	Sample ID No.	Locations	TIME	Noise Level in dB(A)			Permissible exposure per day for 8 hours as per Factories Act, Schedule XXIV
				L_{Min}	L_{Max}	L_{eq}	
1.	AP-SL/25-26/1607	School Ground	11:30 A.M. - 11:35 A.M.	55.9	62.9	59.2	90 dB(A)

Note : - L_{eq} - Equivalent sound energy.

Report Verified by

Reviewed & Authorised by

(Dr. R. KARIM)

Technical Manager

Authorised Signatory


For R.V. BRIGGS & CO. (P) LTD.

SR

-: END OF TEST REPORT :-

For Shri Shikshayatan School

Vinod Agrawal
Secretary General



- ★ The test report shall not be reproduced, except in full, without written approval of the Company.
- ★ Results relate only to the parameters of the item tested.



R. V. BRIGGS & CO. PRIVATE LTD.

ANALYTICAL CONSULTING & TECHNICAL CHEMISTS

(AN ISO 9001:2015 & ISO 45001 : 2018 CERTIFIED COMPANY)

TAHER MANSION, 1ST FLOOR

9, BENTINCK STREET, KOLKATA - 700 001

Phone : (033) 4044-3380/3381/3382 / 3383, Website : www.rvbriggs.com

E-mail : rvbriggs.kolkata@gmail.com, info@rvbriggs.com

CIN : U51109WB1931PTC007007



TC-12347

TEST REPORT

Certificate No. AP-LI/25-26/1002-1005/01

Issue Date : January 28, 2026

Page 1 of 1

Issued to : M/S. SHRI SHIKSHAYATAN SCHOOL

Address : 11, Lord Sinha Road, Kolkata-700071

Your W.O. Ref. no. : E-mail, dtd. 21.01.2026

Description of Sample : Illumination Monitoring

Sample ID No. : AP-LI/25-26/1002-1005

Name of Industry / Site : M/S. SHRI SHIKSHAYATAN SCHOOL

: 11, Lord Sinha Road, Kolkata-700071

Sampling Plan : : RVB/FM/45

Sampling Carried out by : Mr. Ashis Manna

Date of Monitoring : 24.01.2026

Equipment used:

Lux Level Meter

ID No.: RVB/LXMT/02

(Cal. Validity: 07.11.2026)

Parameters Tested : Lux Level

Test Method : IS: 3646 (Part 1) : 1992

LUX MONITORING :

Sl. No.	Sample ID No.	Locations	TIME	Light Intensity in LUX		Norms as per IS 3646 (Part 1) : 2025 Table 44
				Min	Max	
1.	AP-LI/25-26/1002	Secondary Class - XII- B, Room No. 35 (4th Floor)	12:00 P.M. - 12:05 P.M.	99.0	120.0	300-500-750
2.	AP-LI/25-26/1003	Secondary Class - IX - C, Room No. 22 (3rd Floor)	12:15 P.M. - 12:20 P.M.	151.0	189.0	300-500-750
3.	AP-LI/25-26/1004	Secondary Class - VIII - D Room No. 13 (2nd Floor)	12:30 P.M. - 12:35 P.M.	101.0	148.0	300-500-750
4.	AP-LI/25-26/1005	Secondary Class - VII - E Room No. 07 (1st Floor)	12:50 P.M. - 12:55 P.M.	119.0	140.0	300-500-750

Report Verified by

For Shri Shikshayatan School

Vinod Agrawal
Secretary General

Reviewed & Authorised by



(Dr. R. KARIM)

Technical Manager

Authorised Signatory

For R.V. BRIGGS & CO. (P) LTD.

-: END OF TEST REPORT :-

- ★ The test report shall not be reproduced, except in full, without written approval of the Company.
- ★ Results relate only to the parameters of the item tested.



The Kolkata Municipal Corporation
Office of the Executive Engineer (Civil)
Borough – VII
9/1 A, A.J.C. Bose Road
Kolkata- 700017
Ph:-2290-6635

TO WHOME IT MAY CONCERN

This is to certify that the existing drainage & sanitation system of SHRI SHIKSHAYATAN SCHOOL, 11, LORD SINHA ROAD, KOLKATA-700071, has been inspected on 12.11.2025 and Found in good condition.

This certificate is issued at request of school authority for submission to CBSE for affiliation of school.

(Signature)
14/11/25

E.E.(Civil)
Borough-VII

The Kol. Mpl. Corpn.

Ex. Engr.(C) Br.-VII
K.M.C.

For Shri Shikshayatan School

(Signature)
Vinod Agrawal
Secretary General

